

Name: _____
Date: _____
Track: _____

Track Conditions

Size:	<input type="checkbox"/> Open	<input type="checkbox"/> Med.	<input type="checkbox"/> Tight
Traction:	<input type="checkbox"/> High	<input type="checkbox"/> Med.	<input type="checkbox"/> Low
Surface:	<input type="checkbox"/> Smooth	<input type="checkbox"/> Med.	<input type="checkbox"/> Bumpy

Front Suspension

Kingpin ball spacer _____ mm
 Camber angle _____ °
 Upper arm spacer _____ mm
 Toe angle _____ °
 Rebound stop _____ mm
 Anti-roll bar φ _____ mm
 Wheel Hub _____ mm
 Lower arm mount (Kick up) 0 1

Lower arm plate (E0154A)

Upper arm position (E0148B, E0148C)

Lower arm spacer _____ mm

Front Shocks

Piston _____
 Oil # _____
 Spring _____
 Spring adjustment _____ mm

Shock position

Active Caster by Vita

In Out

Steering Ackerman

Rear Suspension

Camber angle _____ °
 Lower arm mount _____ °
 (Anti-squat) 0 1
 (Toe angle) _____ °
 Rebound stop _____ mm
 Anti-roll bar φ _____ mm
 Anti-squat (E0111C, E0111D)

Upright E0152 E0173(Aluminium)

Wheelbase adjustment _____ mm

Lower arm spacer _____ mm

Rear Shocks

Piston _____
 Oil # _____
 Spring _____
 Spring adjustment _____ mm

Shock position

Wing Position



Feat.: -Active Caster
 -Rear Shock Tower Upper Arm Rear Holes

Engine

Type _____
 Gasket _____ mm Reducer φ _____
 Plug _____ Fuel _____
 Muffler _____

Diff. Oil

Front # _____ O-Ring _____ pcs. Other _____
 Center # _____ pcs. Other _____
 Rear # _____ pcs. Other _____

Tire

Front Type _____ Foam _____
Rear Type _____ Foam _____

Clutch

Clutch shoes Aluminium _____
 Other _____
 Spring _____ mm
 Clutch bell / Spur gear **T / T**